




*PENELOPE F.R.*



**7132/01**




**7132/02**




**7132/03**



**7132/05**




**7132/06**




**7132/07**




**7132/08**




**7132/14**



**7132/15**




**7132/17**









**7132/19**



**7132/20**



Ref.	 cm	 g/m <sup>2</sup>						Price category	Appearance
7132/01	310	120	100%PL FR Recycled	Class 1(I), M1 (F), B1&B2(D),EN 13773 (EU),	No	Vertical ceiling/floor	Sheer	C	plain
7132/02	310	120	100%PL FR Recycled	Class 1(I), M1 (F), B1&B2(D),EN 13773 (EU),	No	Vertical ceiling/floor	Sheer	C	plain
7132/03	310	120	100%PL FR Recycled	Class 1(I), M1 (F), B1&B2(D),EN 13773 (EU),	No	Vertical ceiling/floor	Sheer	C	plain
7132/05	310	120	100%PL FR Recycled	Class 1(I), M1 (F), B1&B2(D),EN 13773 (EU),	No	Vertical ceiling/floor	Sheer	C	plain
7132/06	310	120	100%PL FR Recycled	Class 1(I), M1 (F), B1&B2(D),EN 13773 (EU),	No	Vertical ceiling/floor	Sheer	C	plain
7132/07	310	120	100%PL FR Recycled	Class 1(I), M1 (F), B1&B2(D),EN 13773 (EU),	No	Vertical ceiling/floor	Sheer	C	plain
7132/08	310	120	100%PL FR Recycled	Class 1(I), M1 (F), B1&B2(D),EN 13773 (EU),	No	Vertical ceiling/floor	Sheer	C	plain
7132/14	310	120	100%PL FR Recycled	Class 1(I), M1 (F), B1&B2(D),EN 13773 (EU),	No	Vertical ceiling/floor	Sheer	C	plain
7132/15	310	120	100%PL FR Recycled	Class 1(I), M1 (F), B1&B2(D),EN 13773 (EU),	No	Vertical ceiling/floor	Sheer	C	plain

All coefficients have a possible tolerance of +/- 5%  
 Attention: colour shades may vary slightly from one dye-lot to another



Width



Flame retardant



Transparency



Leaded



Weight



Composition










Upholstery



Selvedge

**MAINTENANCE**

WASH IN MAX 30°, DO NOT BLEACH, DO NOT TUMBLE DRY, IRON ON LOW SETTING, CAN BE DRY CLEANED, DRIP DRY, SHRINKAGE AFTER FIRST WASH 0-2% FOR FURTHER INDICATIONS PLEASE CONSULT THE INDIVIDUAL PRODUCT SPECIFICATIONS IN THE ATELIER CATALOGUE.

Ref.	 cm	 g/m <sup>2</sup>						Price category	Appearance
7132/17	310	120	100%PL FR Recycled	Class 1(I), M1 (F), B1&B2(D),EN 13773 (EU),	No	Vertical ceiling/floor	Sheer	C	plain
7132/19	310	120	100%PL FR Recycled	Class 1(I), M1 (F), B1&B2(D),EN 13773 (EU),	No	Vertical ceiling/floor	Sheer	C	plain
7132/20	310	120	100%PL FR Recycled	Class 1(I), M1 (F), B1&B2(D),EN 13773 (EU),	No	Vertical ceiling/floor	Sheer	C	plain

All coefficients have a possible tolerance of +/- 5%  
 Attention: colour shades may vary slightly from one dye-lot to another



Width



Flame retardant



Transparency



Leaded



Weight



Composition



Upholstery



Selvedge

**MAINTENANCE**

WASH IN MAX 30°, DO NOT BLEACH, DO NOT TUMBLE DRY, IRON ON LOW SETTING, CAN BE DRY CLEANED, DRIP DRY, SHRINKAGE AFTER FIRST WASH 0-2% FOR FURTHER INDICATIONS PLEASE CONSULT THE INDIVIDUAL PRODUCT SPECIFICATIONS IN THE ATELIER CATALOGUE.