



ARISTON F.R.




7106/02




7106/04



7106/05




7106/06




7106/07




7106/08




7106/09



7106/10




7106/11



7106/12




7106/13




7106/14




7106/15



7106/16




7106/17




ARISTON F.R.




7106/18




7106/19




7106/20




7106/21




7106/22




7106/24




7106/25




7106/26




7106/27




7106/28




7106/29




7106/30




7106/31



7106/32




7106/33




ARISTON F.R.




7106/34




7106/36




7106/37




7106/38




7106/40



7106/41



7106/42



7106/43



Ref.	 cm	 g/m ²						Price category	Appearance
7106/02	296	235	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK), EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	B	plain
7106/04	296	235	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK), EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	B	plain
7106/05	296	235	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK), EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	B	plain
7106/06	296	235	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK), EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	B	plain
7106/07	296	235	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK), EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	B	plain
7106/08	296	235	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK), EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	B	plain
7106/09	296	235	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK), EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	B	plain
7106/10	296	235	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK), EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	B	plain
7106/11	296	235	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK), EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	B	plain

All coefficients have a possible tolerance of +/- 5%
 Attention: colour shades may vary slightly from one dye-lot to another

**ATELIER
1963**
 TESSUTI & SARTORIA



Width



Flame retardant



Transparency



Leaded



Weight



Composition



Upholstery



Selvage

MAINTENANCE

WASH IN MAX 30°, DO NOT BLEACH, DO NOT TUMBLE DRY, IRON ON LOW SETTING, CAN BE DRY CLEANED, DRIP DRY, SHRINKAGE AFTER FIRST WASH 0-2% FOR FURTHER INDICATIONS PLEASE CONSULT THE INDIVIDUAL PRODUCT SPECIFICATIONS IN THE ATELIER CATALOGUE.

Ref.	 cm	 g/m ²						Price category	Appearance
7106/12	296	235	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK), EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	B	plain
7106/13	296	235	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK), EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	B	plain
7106/14	296	235	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK), EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	B	plain
7106/15	296	235	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK), EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	B	plain
7106/16	296	235	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK), EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	B	plain
7106/17	296	235	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK), EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	B	plain
7106/18	296	235	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK), EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	B	plain
7106/19	296	235	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK), EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	B	plain
7106/20	296	235	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK), EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	B	plain

All coefficients have a possible tolerance of +/- 5%
 Attention: colour shades may vary slightly from one dye-lot to another

ATELIER
1963
TESSUTI & SARTORIA



Width



Flame retardant



Transparency



Leaded



Weight



Composition



Upholstery



Selvage

MAINTENANCE

WASH IN MAX 30°, DO NOT BLEACH, DO NOT TUMBLE DRY, IRON ON LOW SETTING, CAN BE DRY CLEANED, DRIP DRY, SHRINKAGE AFTER FIRST WASH 0-2% FOR FURTHER INDICATIONS PLEASE CONSULT THE INDIVIDUAL PRODUCT SPECIFICATIONS IN THE ATELIER CATALOGUE.

Ref.	 cm	 g/m ²						Price category	Appearance
7106/21	296	235	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK), EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	B	plain
7106/22	296	235	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK), EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	B	plain
7106/24	296	235	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK), EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	B	plain
7106/25	296	235	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK), EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	B	plain
7106/26	296	235	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK), EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	B	plain
7106/27	296	235	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK), EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	B	plain
7106/28	296	235	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK), EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	B	plain
7106/29	296	235	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK), EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	B	plain
7106/30	296	235	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK), EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	B	plain

All coefficients have a possible tolerance of +/- 5%
 Attention: colour shades may vary slightly from one dye-lot to another

**ATELIER
1963**
 TESSUTI & SARTORIA



Width



Flame retardant



Transparency



Leaded



Weight



Composition



Upholstery



Selvage

MAINTENANCE

WASH IN MAX 30°, DO NOT BLEACH, DO NOT TUMBLE DRY, IRON ON LOW SETTING, CAN BE DRY CLEANED, DRIP DRY, SHRINKAGE AFTER FIRST WASH 0-2% FOR FURTHER INDICATIONS PLEASE CONSULT THE INDIVIDUAL PRODUCT SPECIFICATIONS IN THE ATELIER CATALOGUE.

Ref.	 cm	 g/m ²						Price category	Appearance
7106/31	296	235	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK), EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	B	plain
7106/32	296	235	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK), EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	B	plain
7106/33	296	235	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK), EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	B	plain
7106/34	296	235	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK), EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	B	plain
7106/36	296	235	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK), EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	B	plain
7106/37	296	235	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK), EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	B	plain
7106/38	296	235	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK), EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	B	plain
7106/40	296	235	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK), EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	B	plain
7106/41	296	235	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK), EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	B	plain

All coefficients have a possible tolerance of +/- 5%
 Attention: colour shades may vary slightly from one dye-lot to another

**ATELIER
1963**
 TESSUTI & SARTORIA



Width



Flame retardant



Transparency



Leaded



Weight



Composition



Upholstery



Selvage

MAINTENANCE

WASH IN MAX 30°, DO NOT BLEACH, DO NOT TUMBLE DRY, IRON ON LOW SETTING, CAN BE DRY CLEANED, DRIP DRY, SHRINKAGE AFTER FIRST WASH 0-2% FOR FURTHER INDICATIONS PLEASE CONSULT THE INDIVIDUAL PRODUCT SPECIFICATIONS IN THE ATELIER CATALOGUE.

Ref.	 cm	 g/m ²						Price category	Appearance
7106/42	296	235	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK), EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	B	plain
7106/43	296	235	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK), EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	B	plain

All coefficients have a possible tolerance of +/- 5%
 Attention: colour shades may vary slightly from one dye-lot to another



Width



Flame retardant



Transparency



Leaded



Weight



Composition



Upholstery



Selvedge

MAINTENANCE

WASH IN MAX 30°, DO NOT BLEACH, DO NOT TUMBLE DRY, IRON ON LOW SETTING, CAN BE DRY CLEANED, DRIP DRY, SHRINKAGE AFTER FIRST WASH 0-2% FOR FURTHER INDICATIONS PLEASE CONSULT THE INDIVIDUAL PRODUCT SPECIFICATIONS IN THE ATELIER CATALOGUE.