




MASTER 1 F.R.



3102-340




3103-340




3104-340




3105-340



3106-340




3107-340



3108-340




3109-340




3110-340




3111-340




3113-340




3123-340




3124-340




3125-340




3127-340




3138-340




3141-340




3143-340



MASTER 1 F.R.




3146-340




3151-340




3155-340




3156-340




3157-340




3159-340




3161-340




3164-340




3165-340




3166-340




3167-340




3168-340




3169-340




3170-340




3173-340



3174-340



3182-340



Ref.	 cm	 g/m ²						Price category	Appearance
3102-340	340	135	100% PL TREVIRA CS	Class 1(I), M1 (F), B1&B2(D)	No	Vertical ceiling/floor	Sheer	C	plain
3103-340	340	135	100% PL TREVIRA CS	Class 1(I), M1 (F), B1&B2(D)	No	Vertical ceiling/floor	Sheer	C	plain
3104-340	340	135	100% PL TREVIRA CS	Class 1(I), M1 (F), B1&B2(D)	No	Vertical ceiling/floor	Sheer	C	plain
3105-340	340	135	100% PL TREVIRA CS	Class 1(I), M1 (F), B1&B2(D)	No	Vertical ceiling/floor	Sheer	C	plain
3106-340	340	135	100% PL TREVIRA CS	Class 1(I), M1 (F), B1&B2(D)	No	Vertical ceiling/floor	Sheer	C	plain
3107-340	340	135	100% PL TREVIRA CS	Class 1(I), M1 (F), B1&B2(D)	No	Vertical ceiling/floor	Sheer	C	plain
3108-340	340	135	100% PL TREVIRA CS	Class 1(I), M1 (F), B1&B2(D)	No	Vertical ceiling/floor	Sheer	C	plain
3109-340	340	135	100% PL TREVIRA CS	Class 1(I), M1 (F), B1&B2(D)	No	Vertical ceiling/floor	Sheer	C	plain
3110-340	340	135	100% PL TREVIRA CS	Class 1(I), M1 (F), B1&B2(D)	No	Vertical ceiling/floor	Sheer	C	plain

All coefficients have a possible tolerance of +/- 5%
 Attention: colour shades may vary slightly from one dye-lot to another



Width



Flame retardant



Transparency



Leaded



Weight



Composition



Upholstery



Selvage

MAINTENANCE

WASH IN MAX 30°, DO NOT BLEACH, DO NOT TUMBLE DRY, IRON ON LOW SETTING, CAN BE DRY CLEANED, DRIP DRY, SHRINKAGE AFTER FIRST WASH 1-2%. FOR FURTHER INDICATIONS PLEASE CONSULT THE INDIVIDUAL PRODUCT SPECIFICATIONS IN THE ATELIER CATALOGUE.

Ref.	 cm	 g/m ²						Price category	Appearance
3111-340	340	135	100% PL TREVIRA CS	Class 1(I), M1 (F), B1&B2(D)	No	Vertical ceiling/floor	Sheer	C	plain
3113-340	340	135	100% PL TREVIRA CS	Class 1(I), M1 (F), B1&B2(D)	No	Vertical ceiling/floor	Sheer	C	plain
3123-340	340	135	100% PL TREVIRA CS	Class 1(I), M1 (F), B1&B2(D)	No	Vertical ceiling/floor	Sheer	C	plain
3124-340	340	135	100% PL TREVIRA CS	Class 1(I), M1 (F), B1&B2(D)	No	Vertical ceiling/floor	Sheer	C	plain
3125-340	340	135	100% PL TREVIRA CS	Class 1(I), M1 (F), B1&B2(D)	No	Vertical ceiling/floor	Sheer	C	plain
3127-340	340	135	100% PL TREVIRA CS	Class 1(I), M1 (F), B1&B2(D)	No	Vertical ceiling/floor	Sheer	C	plain
3138-340	340	135	100% PL TREVIRA CS	Class 1(I), M1 (F), B1&B2(D)	No	Vertical ceiling/floor	Sheer	C	plain
3141-340	340	135	100% PL TREVIRA CS	Class 1(I), M1 (F), B1&B2(D)	No	Vertical ceiling/floor	Sheer	C	plain
3143-340	340	135	100% PL TREVIRA CS	Class 1(I), M1 (F), B1&B2(D)	No	Vertical ceiling/floor	Sheer	C	plain

All coefficients have a possible tolerance of +/- 5%
Attention: colour shades may vary slightly from one dye-lot to another



Width



Flame retardant



Transparency



Leaded



Weight



Composition



Upholstery



Selvedge

MAINTENANCE

WASH IN MAX 30°, DO NOT BLEACH, DO NOT TUMBLE DRY, IRON ON LOW SETTING, CAN BE DRY CLEANED, DRIP DRY, SHRINKAGE AFTER FIRST WASH 1-2%. FOR FURTHER INDICATIONS PLEASE CONSULT THE INDIVIDUAL PRODUCT SPECIFICATIONS IN THE ATELIER CATALOGUE.

Ref.	 cm	 g/m ²						Price category	Appearance
3146-340	340	135	100% PL TREVIRA CS	Class 1(I), M1 (F), B1&B2(D)	No	Vertical ceiling/floor	Sheer	C	plain
3151-340	340	135	100% PL TREVIRA CS	Class 1(I), M1 (F), B1&B2(D)	No	Vertical ceiling/floor	Sheer	C	plain
3155-340	340	135	100% PL TREVIRA CS	Class 1(I), M1 (F), B1&B2(D)	No	Vertical ceiling/floor	Sheer	C	plain
3156-340	340	135	100% PL TREVIRA CS	Class 1(I), M1 (F), B1&B2(D)	No	Vertical ceiling/floor	Sheer	C	plain
3157-340	340	135	100% PL TREVIRA CS	Class 1(I), M1 (F), B1&B2(D)	No	Vertical ceiling/floor	Sheer	C	plain
3159-340	340	135	100% PL TREVIRA CS	Class 1(I), M1 (F), B1&B2(D)	No	Vertical ceiling/floor	Sheer	C	plain
3161-340	340	135	100% PL TREVIRA CS	Class 1(I), M1 (F), B1&B2(D)	No	Vertical ceiling/floor	Sheer	C	plain
3164-340	340	135	100% PL TREVIRA CS	Class 1(I), M1 (F), B1&B2(D)	No	Vertical ceiling/floor	Sheer	C	plain
3165-340	340	135	100% PL TREVIRA CS	Class 1(I), M1 (F), B1&B2(D)	No	Vertical ceiling/floor	Sheer	C	plain

All coefficients have a possible tolerance of +/- 5%
 Attention: colour shades may vary slightly from one dye-lot to another



Width



Flame retardant



Transparency



Leaded



Weight



Composition



Upholstery



Selvage

MAINTENANCE

WASH IN MAX 30°, DO NOT BLEACH, DO NOT TUMBLE DRY, IRON ON LOW SETTING, CAN BE DRY CLEANED, DRIP DRY, SHRINKAGE AFTER FIRST WASH 1-2%. FOR FURTHER INDICATIONS PLEASE CONSULT THE INDIVIDUAL PRODUCT SPECIFICATIONS IN THE ATELIER CATALOGUE.

Ref.	 cm	 g/m ²						Price category	Appearance
3166-340	340	135	100% PL TREVIRA CS	Class 1(I), M1 (F), B1&B2(D)	No	Vertical ceiling/floor	Sheer	C	plain
3167-340	340	135	100% PL TREVIRA CS	Class 1(I), M1 (F), B1&B2(D)	No	Vertical ceiling/floor	Sheer	C	plain
3168-340	340	135	100% PL TREVIRA CS	Class 1(I), M1 (F), B1&B2(D)	No	Vertical ceiling/floor	Sheer	C	plain
3169-340	340	135	100% PL TREVIRA CS	Class 1(I), M1 (F), B1&B2(D)	No	Vertical ceiling/floor	Sheer	C	plain
3170-340	340	135	100% PL TREVIRA CS	Class 1(I), M1 (F), B1&B2(D)	No	Vertical ceiling/floor	Sheer	C	plain
3173-340	340	135	100% PL TREVIRA CS	Class 1(I), M1 (F), B1&B2(D)	No	Vertical ceiling/floor	Sheer	C	plain
3174-340	340	135	100% PL TREVIRA CS	Class 1(I), M1 (F), B1&B2(D)	No	Vertical ceiling/floor	Sheer	C	plain
3182-340	340	135	100% PL TREVIRA CS	Class 1(I), M1 (F), B1&B2(D)	No	Vertical ceiling/floor	Sheer	C	plain

All coefficients have a possible tolerance of +/- 5%
 Attention: colour shades may vary slightly from one dye-lot to another



Width



Flame retardant



Transparency



Leaded



Weight



Composition



Upholstery



Selvedge

MAINTENANCE

WASH IN MAX 30°, DO NOT BLEACH, DO NOT TUMBLE DRY, IRON ON LOW SETTING, CAN BE DRY CLEANED, DRIP DRY, SHRINKAGE AFTER FIRST WASH 1-2%. FOR FURTHER INDICATIONS PLEASE CONSULT THE INDIVIDUAL PRODUCT SPECIFICATIONS IN THE ATELIER CATALOGUE.