

NOTTE 1 F.R.



6750/01




6750/02



6750/04




6750/07




6750/08




6750/11




6750/12



6750/21



6750/30



6750/31



6750/32




6750/33




6750/34



6750/35




6750/36




6750/37



6750/38




6750/39



NOTTE 1 F.R.




6750/40




6750/41




6750/42




6750/43



6750/44




6750/45




6750/46



6750/47



6750/48



Ref.	 cm	 g/m²						Price category	Appearance
6750/01	300	265	100% PL F.R.	Classe1 (I), M1(F)	No	Vertical ceiling/floor	Dim out	B	plain
6750/02	300	265	100% PL F.R.	Classe1 (I), M1(F)	No	Vertical ceiling/floor	Dim out	B	plain
6750/04	300	265	100% PL F.R.	Classe1 (I), M1(F)	No	Vertical ceiling/floor	Dim out	B	plain
6750/07	300	265	100% PL F.R.	Classe1 (I), M1(F)	No	Vertical ceiling/floor	Dim out	B	plain
6750/08	300	265	100% PL F.R.	Classe1 (I), M1(F)	No	Vertical ceiling/floor	Dim out	B	plain
6750/11	300	265	100% PL F.R.	Classe1 (I), M1(F)	No	Vertical ceiling/floor	Dim out	B	plain
6750/12	300	265	100% PL F.R.	Classe1 (I), M1(F)	No	Vertical ceiling/floor	Dim out	B	plain
6750/21	300	265	100% PL F.R.	Classe1 (I), M1(F)	No	Vertical ceiling/floor	Dim out	B	plain
6750/30	300	265	100% PL F.R.	Classe1 (I), M1(F)	No	Vertical ceiling/floor	Dim out	B	plain

All coefficients have a possible tolerance of +/- 5%
 Attention: colour shades may vary slightly from one dye-lot to another

ATELIER
1963
TESSUTI & SARTORIA



Width



Flame retardant



Transparency



Leaded



Weight



Composition



Upholstery



Selvage

MAINTENANCE

WASH IN MAX 30°, DO NOT BLEACH, DO NOT TUMBLE DRY, IRON ON LOW SETTING, CAN BE DRY CLEANED, DRIP DRY, SHRINKAGE AFTER FIRST WASH 0-2% FOR FURTHER INDICATIONS PLEASE CONSULT THE INDIVIDUAL PRODUCT SPECIFICATIONS IN THE ATELIER CATALOGUE.

Ref.	 cm	 g/m ²						Price category	Appearance
6750/31	300	265	100% PL F.R.	Classe1 (I), M1(F)	No	Vertical ceiling/floor	Dim out	B	plain
6750/32	300	265	100% PL F.R.	Classe1 (I), M1(F)	No	Vertical ceiling/floor	Dim out	B	plain
6750/33	300	265	100% PL F.R.	Classe1 (I), M1(F)	No	Vertical ceiling/floor	Dim out	B	plain
6750/34	300	265	100% PL F.R.	Classe1 (I), M1(F)	No	Vertical ceiling/floor	Dim out	B	plain
6750/35	300	265	100% PL F.R.	Classe1 (I), M1(F)	No	Vertical ceiling/floor	Dim out	B	plain
6750/36	300	265	100% PL F.R.	Classe1 (I), M1(F)	No	Vertical ceiling/floor	Dim out	B	plain
6750/37	300	265	100% PL F.R.	Classe1 (I), M1(F)	No	Vertical ceiling/floor	Dim out	B	plain
6750/38	300	265	100% PL F.R.	Classe1 (I), M1(F)	No	Vertical ceiling/floor	Dim out	B	plain
6750/39	300	265	100% PL F.R.	Classe1 (I), M1(F)	No	Vertical ceiling/floor	Dim out	B	plain

All coefficients have a possible tolerance of +/- 5%
 Attention: colour shades may vary slightly from one dye-lot to another

ATELIER
1963
TESSUTI & SARTORIA



Width



Flame retardant



Transparency



Leaded



Weight



Composition



Upholstery



Selvage

MAINTENANCE

WASH IN MAX 30°, DO NOT BLEACH, DO NOT TUMBLE DRY, IRON ON LOW SETTING, CAN BE DRY CLEANED, DRIP DRY, SHRINKAGE AFTER FIRST WASH 0-2% FOR FURTHER INDICATIONS PLEASE CONSULT THE INDIVIDUAL PRODUCT SPECIFICATIONS IN THE ATELIER CATALOGUE.

Ref.	 cm	 g/m²						Price category	Appearance
6750/40	300	265	100% PL F.R.	Classe1 (I), M1(F)	No	Vertical ceiling/floor	Dim out	B	plain
6750/41	300	265	100% PL F.R.	Classe1 (I), M1(F)	No	Vertical ceiling/floor	Dim out	B	plain
6750/42	300	265	100% PL F.R.	Classe1 (I), M1(F)	No	Vertical ceiling/floor	Dim out	B	plain
6750/43	300	265	100% PL F.R.	Classe1 (I), M1(F)	No	Vertical ceiling/floor	Dim out	B	plain
6750/44	300	265	100% PL F.R.	Classe1 (I), M1(F)	No	Vertical ceiling/floor	Dim out	B	plain
6750/45	300	265	100% PL F.R.	Classe1 (I), M1(F)	No	Vertical ceiling/floor	Dim out	B	plain
6750/46	300	265	100% PL F.R.	Classe1 (I), M1(F)	No	Vertical ceiling/floor	Dim out	B	plain
6750/47	300	265	100% PL F.R.	Classe1 (I), M1(F)	No	Vertical ceiling/floor	Dim out	B	plain
6750/48	300	265	100% PL F.R.	Classe1 (I), M1(F)	No	Vertical ceiling/floor	Dim out	B	plain

All coefficients have a possible tolerance of +/- 5%
 Attention: colour shades may vary slightly from one dye-lot to another

ATELIER
1963
TESSUTI & SARTORIA



Width



Flame retardant



Transparency



Leaded



Weight



Composition



Upholstery



Selvage

MAINTENANCE

WASH IN MAX 30°, DO NOT BLEACH, DO NOT TUMBLE DRY, IRON ON LOW SETTING, CAN BE DRY CLEANED, DRIP DRY, SHRINKAGE AFTER FIRST WASH 0-2% FOR FURTHER INDICATIONS PLEASE CONSULT THE INDIVIDUAL PRODUCT SPECIFICATIONS IN THE ATELIER CATALOGUE.