



*POSITANO F.R.*




**7104/03**




**7104/04**




**7104/05**




**7104/07**




**7104/08**




**7104/09**




**7104/11**




**7104/12**




**7104/15**




**7104/17**




**7104/20**




**7104/21**




**7104/22**




**7104/23**










**7104/24**



**7104/25**



Ref.	 cm	 gm <sup>2</sup>						Price category	Appearance
7104/03	300	302	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK),EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	D	plain
7104/04	300	302	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK),EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	D	plain
7104/05	300	302	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK),EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	D	plain
7104/07	300	302	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK),EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	D	plain
7104/08	300	302	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK),EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	D	plain
7104/09	300	302	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK),EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	D	plain
7104/11	300	302	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK),EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	D	plain
7104/12	300	302	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK),EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	D	plain
7104/15	300	302	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK),EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	D	plain

All coefficients have a possible tolerance of +/- 5%  
 Attention: colour shades may vary slightly from one dye-lot to another



Width



Flame retardant



Transparency



Leaded



Weight



Composition










Upholstery



Selvedge

**MAINTENANCE**

WASH IN MAX 30°, DO NOT BLEACH, DO NOT TUMBLE DRY, IRON ON LOW SETTING, CAN BE DRY CLEANED, DRIP DRY, SHRINKAGE AFTER FIRST WASH 0-2% FOR FURTHER INDICATIONS PLEASE CONSULT THE INDIVIDUAL PRODUCT SPECIFICATIONS IN THE ATELIER CATALOGUE.

Ref.	 cm	 g/m <sup>2</sup>						Price category	Appearance
7104/17	300	302	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK), EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	D	plain
7104/20	300	302	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK), EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	D	plain
7104/21	300	302	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK), EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	D	plain
7104/22	300	302	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK), EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	D	plain
7104/23	300	302	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK), EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	D	plain
7104/24	300	302	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK), EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	D	plain
7104/25	300	302	100% PL F.R.	Class 1(I), M1 (F), B1&B2(D) BS 5867 (UK), EN 13773 (EU), IMO	No	Vertical ceiling/floor	Dim out	D	plain

All coefficients have a possible tolerance of +/- 5%  
 Attention: colour shades may vary slightly from one dye-lot to another



Width



Flame retardant



Transparency



Leaded



Weight



Composition



Upholstery



Selvage

**MAINTENANCE**

WASH IN MAX 30°, DO NOT BLEACH, DO NOT TUMBLE DRY, IRON ON LOW SETTING, CAN BE DRY CLEANED, DRIP DRY, SHRINKAGE AFTER FIRST WASH 0-2% FOR FURTHER INDICATIONS PLEASE CONSULT THE INDIVIDUAL PRODUCT SPECIFICATIONS IN THE ATELIER CATALOGUE.